

tratto


l'apparecchio tecnico lascia poco spazio alla espressività



uno stile deciso...
a strong style



**...equilibrio ideale
tra estetica e funzionalità**
ideal balance between aesthetics and functionality



tratto è una lampada a sospensione dallo stile deciso e le forme ben definite. i materiali autentici e di altissima qualità costituiscono il perfetto equilibrio tra estetica e funzionalità, offrendo un apparecchio dal design unico, senza per questo dover rinunciare alla sua efficienza.

tratto is a suspension lamp with a strong style and well-defined shapes. the authentic and high quality materials constitute the perfect balance between aesthetics and functionality, offering a luminaire with a unique design, without having to give up its efficiency.





tratto è un apparecchio di illuminazione versatile, scelto da architetti e studi di progettazione perchè ideale sia per ambienti privati che aziendali. le finiture *totalwhite* e *totalblack* ne esprimono l'eleganza, il verniciato ottone il suo carattere deciso.

*tratto is a versatile lighting fixture, chosen by architects and design studios because it is ideal for both private and professional spaces. the *totalwhite* and *totalblack* finishes express its elegance, the painted brass its decisive character.*









**soluzione per illuminare
ogni ambiente,
coniugando
perfetta funzionalità
ed estetica ricercata.
la parete stessa si trasforma
in un flusso di luci e ombre
con rinnovata profondità,
aggiungendo valore
a qualsiasi *design* da interno.**

*solution to illuminate any living or
professional space, combining
perfect functionality and refined
aesthetics. the wall itself transforms
into a flow of light and shadow with
renewed depth, adding value to
any interior design.*













apparecchio a parete, a soffitto e a sospensione regolabile in altezza su cavi di tenuta in acciaio. struttura in alluminio. finitura verniciato. diffusore in pmma opale. driver e led-strip integrato dimmerabile DALI push da remoto. luce diretta o indiretta. doppia accensione. tratto è disponibile nella versione mono e biemissione, doppia accensione.

wall, ceiling or suspension luminaire adjustable in lenght on iron wires. luminaire. aluminum structure. finish painted. opal pmma diffuser. remote dimmable DALI push driver and led-strip. emission light indirect and direct. tratto is available in the single and double emission version, double lighting.

tratto 2017 - 2021 - 2023



informazioni tecniche - *technical infos*

4,5

8

50

tratto 50/ap dim DALI push
driver a bordo
monoemissione
11w 24V 1400lm 3000K - 230V
fornito con driver e modulo led-strip

scarica/download

istruzioni
instructions

3D

data
sheet



finiture/finishes	codice/code
totalwhite	ap01271
totalblack	ap01272
verniciato ottone old/painted old brass	ap01273

4,5

8

100

tratto 100/ap dim DALI push
driver a bordo
monoemissione
22w 24V 2800lm 3000K - 230V
fornito con driver e modulo led-strip
driver built-in
mono emission
luminaire contains driver and led-strip

scarica/download

istruzioni
instructions

3D

data
sheet



totalwhite	ap01274
totalblack	ap01275
verniciato ottone old/painted old brass	ap01276

4,5

8

tratto 100/ap dim DALI push
driver a bordo
biemissione
22w + 16w 24V 5000lm 3000K - 230V
fornito con driver e modulo led-strip
driver built-in
double emission
luminaire contains driver and led-strip

scarica/download

istruzioni
instructions

3D

data
sheet



totalwhite	ap01277
totalblack	ap01278
verniciato ottone old/painted old brass	ap01279




a richiesta accensione a sfioramento
on/off dim integrato con maggiorazione

on/off dim touchless built-in
with surcharge on demand



a richiesta accensione a sfioramento on/off dim
- cavo + spina EU con maggiorazione

wall versions with on/off dim touchless - cable + plug EU with surcharge on demand



tratto 150/so dim DALI push
dimmerabile da remoto
driver su coprifilo
monoemissione inferiore
30w 24V 4300lm 3000K - 230V
fornito con driver e modulo led-strip
remote dimmable control
driver on canopy - mono emission
luminaire contains driver and led-strip

		       	
finiture/finishes		codice/code	
totalwhite		so03507	
totalblack		so03508	
verniciato ottone old - cavo nero		so03509	
painted old brass - black cable			

a richiesta anche in versione monoemissione solo superiore
upper-side mono emission version on demand

scarica/download

[istruzioni](#)
instructions

3D

[data](#)
sheet

tratto 150/so dim DALI push
dimmerabile da remoto
driver su coprifilo
biemissione
2 x 30w 24V 8600lm 3000K - 230V
fornito con driver e modulo led-strip
remote dimmable control
driver on canopy - double emission
luminaire contains driver and led-strip

totalwhite	so03510
totalblack	so03511
verniciato ottone old - cavo nero	so03512
painted old brass - black cable	

[istruzioni](#)
instructions

3D

[data](#)
sheet

tratto 200/so dim DALI push0
dimmerabile da remoto
driver su coprifilo
monoemissione inferiore
40w 24V 5800lm 3000K - 230V
fornito con driver e modulo led-strip
remote dimmable control
driver on canopy - mono emission
luminaire contains driver and led-strip

totalwhite	so01388
totalblack	so01389
verniciato ottone old - cavo nero	so03499
painted old brass - black cable	

a richiesta anche in versione monoemissione solo superiore
upper-side mono emission version on demand

[istruzioni](#)
instructions

3D

[data](#)
sheet


tratto 200/so dim DALI push
dimmerabile da remoto
driver su coprifilo
biemissione
2 x 40w 24V 11600lm 3000K - 230V
fornito con driver e modulo led-strip
remote dimmable control
driver on canopy - double emission
luminaire contains driver and led-strip

totalwhite	so01678
totalblack	so01679
verniciato ottone old - cavo nero	so03500
painted old brass - black cable	

[istruzioni](#)
instructions

3D

[data](#)
sheet





more with less