

Vesoi

suymuri

la libertà di disegnare con la luce
per una diversa percezione dello spazio

e-memo



geometrie lumineuse
luminous geometries





leggero e flessibile suymuri è un sistema che illumina lo spazio portando la luce dove vuoi, dalla parete al soffitto con una composizione luminosa, che utilizza profili *standard* di diverse lunghezze e collegati fra loro con elementi lineari da 50 a 200 cm, modulari e ad angolo.

light and flexible suymuri is a system that illuminates space by bringing light wherever you want, from wall to ceiling with a light composition, which uses standard profiles of different lengths and connected together with linear elements from 50 to 200cm, modular and corner elements.



Suymuri

un progetto aperto
tra efficienza ed estetica


soluzione semplice ed innovativa, con un minimo sforzo produttivo ed una reale attenzione al pianeta: more green with less. questo nuovo progetto con proporzioni geometriche si sa integrare nell'ambiente fino al protagonismo, in grado di dosare la sua emissione esalta la qualità del materiale più prezioso in uso per il led: l'alluminio che assicura qualità, durabilità, efficienza e riuso a fine vita. guarda la casa come i grandi spazi, con flessibilità di utilizzo limitless e semplicità di installazione con i diversi sistemi di comando della luce, disponibili sia ad incasso che a vista su parete o a soffitto. alta efficienza da 1800-2800 lm/metro ed elementi di raccordo a vista che identificano il progetto suymuri e rendono il suo design fuori dagli schemi.

*an open project
between efficiency and aesthetics*

another open project suymuri, simple and innovative solution with the least productive effort and true attention to the planet: more green with less. this new project with geometric proportions can integrate with the surrounding up to protagonism, by dosing its emission it exalts the quality of the most precious material for led: aluminum, which guarantees quality, durability, efficiency and recycle at end of its life. looks towards homes as well as big areas, with flexibility of limitless use and easy installation in the many light control systems available, recessed or not on wall or ceiling. high efficiency from 1800-2800 lm/meter and on sight joint elements which identifies the project suymuri and make its design an original one.










elementi che disegnano geometrie luminose lasciando la libertà di modellare l'illuminazione con singoli componenti, nei più svariati spazi.

elements that design luminous geometries leaving the freedom to model the lighting with the individual components, in the most varied spaces.






suymuri sistema 2022



finiture/finishes codice/code prezzo/price




suymuri 50/sp wall/ceiling
dim DALI push
10w 24V 1400lm 3000K - 230V

download



totalwhite sp01399
totalblack sp01400
verniciato ottone/painted brass sp01401




suymuri 100/sp wall/ceiling
dim DALI push
20w 24V 2800lm 3000K - 230V

download



totalwhite sp01393
totalblack sp01394
verniciato ottone/painted brass sp01395



suymuri 150/sp wall/ceiling
dim DALI push
30w 24V 4200lm 3000K - 230V

download



totalwhite sp01402
totalblack sp01403
verniciato ottone/painted brass sp01404



suymuri 200/sp wall/ceiling
dim DALI push
40w 24V 5600lm 3000K - 230V

download



totalwhite sp01396
totalblack sp01397
verniciato ottone/painted brass sp01398


suymuri sistema, elementi che disegnano geometrie luminose lasciando la libertà di modellare l'illuminazione con i singoli componenti, nei più svariati spazi. corpo in alluminio disponibile nelle misure standard 50, 100, 150 e 200 cm, con finitura verniciata totalwhite, totalblack e ottone.

suymuri sistema, elements that design luminous geometries leaving the freedom to model the lighting with the individual components, in the most varied spaces. aluminum body available in standard sizes 50, 100, 150 and 200 cm, with totalwhite, totalblack and brass painted finish.


versione con driver esterno a richiesta
version with external driver on demand

a richiesta driver triac/1-10 con maggiorazione
triac/1-10 driver with surcharge on demand

i profili lineari si completano con l'aggiunta degli accessori 341-342-343-344-345-346-347
linear profiles will complete with the addition of accessories 341-342-343-344-345-346-347




suymuri trapeze hi
200+150+200+50/sp
dim DALI push
110w 24V 13000lm 3000K - 230V



finiture/finishes codice/code prezzo/price

totalwhite sp01501
totalblack sp01502
verniciato ottone/painted brass sp01503


download
Istruzioni instructions 3D data sheet



suymuri trapeze low
150+100+150+200/sp
dim DALI push
110w 24V 13000lm 3000K - 230V

totalwhite sp01504
totalblack sp01505
verniciato ottone/painted brass sp01506


download
Istruzioni instructions 3D data sheet



suymuri double elle low
100+150+74/sp
dim DALI push
60w 24V 7000lm 3000K - 230V

totalwhite sp01507
totalblack sp01427
verniciato ottone/painted brass sp01428


download
Istruzioni instructions 3D data sheet



suymuri rectangle
150+190+150+190/sp
dim DALI push
125w 24V 14500lm 3000K - 230V

totalwhite sp01429
totalblack sp01430
verniciato ottone/painted brass sp01431


download
Istruzioni instructions 3D data sheet



suymuri quadro
150+150+150+150/sp
dim DALI push
110w 24V 12500lm 3000K - 230Vp

totalwhite sp01432
totalblack sp01433
verniciato ottone/painted brass sp01434

download
Istruzioni instructions 3D data sheet



suymuri novanta°
150+150+150+65/sp
dim DALI push
110w 24V 13000lm 3000K - 230V

totalwhite sp01435
totalblack sp01436
verniciato ottone/painted brass sp01437


download
Istruzioni instructions 3D data sheet




suymuri tregradi
100+50+150+100/sp
dim DALI push
80w 24V 8500lm 3000K - 230Vp

totalwhite sp01438
totalblack sp01439
verniciato ottone/painted brass sp01440

download
Istruzioni instructions 3D data sheet



suymuri waves two
direct/indirect emission
160+160/sp incasso
dim DALI push
62w 24V 7000lm 3000K - 230V



finiture/finishes codice/code prezzo/price


totalwhite sp01441
totalblack sp01442
verniciato ottone/painted brass sp01443

download
Istruzioni instructions 3D data sheet

suymuri tondo single
60/sp incasso
dim DALI push
35w 24V 3800lm 3000K - 230V

totalwhite sp01444
totalblack sp01445
verniciato ottone/painted brass sp01446


download
Istruzioni instructions 3D data sheet



suymuri tondo single
120/sp incasso
dim DALI push
75w 24V 8000lm 3000K - 230V

totalwhite sp01447
totalblack sp01448
verniciato ottone/painted brass sp01449


download
Istruzioni instructions 3D data sheet



suymuri tondo single
160/sp incasso
dim DALI push
98w 24V 10800lm 3000K - 230V

totalwhite sp01450
totalblack sp01451
verniciato ottone/painted brass sp01452


download
Istruzioni instructions 3D data sheet



suymuri olympic 60
60+60+60/sp incasso
dim DALI push
105w 24V 11400lm 3000K - 230V

totalwhite sp01453
totalblack sp01454
verniciato ottone/painted brass sp01455


download
Istruzioni instructions 3D data sheet




suymuri olympic irregular
60+120+160/sp incasso
dim DALI push
205w 24V 23000lm 3000K - 230V

totalwhite sp01456
totalblack sp01457
verniciato ottone/painted brass sp01458

download
Istruzioni instructions 3D data sheet



a richiesta driver esterno con maggiorazione
external driver with surcharge on demand




341 accessorio blocco di raccordo
fisso **passante** con copertura
connecting block loop with cover

verniciato bianco 6x3 cm
white painted 6x3 cm
verniciato nero 6x3 cm
black painted 6x3 cm
verniciato ottone 6x3 cm
painted brass 6x3 cm

acc00673

acc00674

acc00675





342 accessorio blocco di raccordo
fisso **angolare a 90°**
con copertura
*connecting block 90° corner
with cover*

verniciato bianco 6x6 cm
white painted 6x6 cm
verniciato nero 6x6 cm
black painted 6x6 cm
verniciato ottone 6x6 cm
painted brass 6x6 cm

acc00676

acc00677

acc00678




343 accessorio blocco di raccordo
terminale chiuso con copertura
*connecting block closed terminal
with cover*

verniciato bianco 6x3 cm
closed terminal white painted 6x3 cm
verniciato nero 6x3 cm
closed terminal black painted 6x3 cm
verniciato ottone 6x3 cm
painted brass 6x3 cm

acc00679

acc00680

acc00681




344 accessorio terminale finale **nail**
nail end cap

verniciato bianco 1,7x1,6 cm
white painted 1,7x1,6 cm
verniciato nero 1,7x1,6 cm
black painted 1,7x1,6 cm
verniciato ottone 1,7x1,6 cm
painted brass 1,7x1,6 cm

acc00682

acc00683

acc00684




345 accessorio terminale finale **flat**
flat end cap

verniciato bianco 1,7x0,1 cm
white painted 1,7x0,1 cm
verniciato nero 1,7x0,1 cm
black painted 1,7x0,1 cm
verniciato ottone 1,7x0,1 cm
painted brass 1,7x0,1 cm

acc00685

acc00686

acc00687




346 accessorio terminale finale **nail**
con foro passante -
nail end cap with hole

verniciato bianco 1,7x1,6 cm
white painted 1,7x1,6 cm
verniciato nero 1,7x1,6 cm
black painted 1,7x1,6 cm
verniciato ottone 1,7x1,6 cm
painted brass 1,7x1,6 cm

acc00688

acc00689

acc00690



348 accessorio terminale finale **jack**
per ingresso cavo giunzione
nail end cap with jack input

verniciato bianco 1,7x1,6 cm
white painted 1,7x1,6 cm
verniciato nero 1,7x1,6 cm
black painted 1,7x1,6 cm
verniciato ottone 1,7x1,6 cm
painted brass 1,7x1,6 cm

acc00694


acc00695

acc00696

349 accessorio giunzione cavo **jack**
jack cable junction

colore a scelta / *color of your choice*

acc00697




347 accessorio **box driver**
per alimentazione esterna
+ cavo L. 100 cm
*driver box for external power
+ cable L. 100 cm*

verniciato bianco 18x4 - 26x4 cm
white painted 18x4 - 26x4 cm
verniciato nero 18x4 - 26x4 cm
black painted 18x4 - 26x4 cm
verniciato ottone 18x4 - 26x4 cm
painted brass 18x4 - 26x4 cm


acc00691


acc00692

acc00693









vesoi | *the modern classic*